

CONTEXT

MATHML

VERSION MAY 18, 2006

FORMULA

LAYOUT

OPTIONS

HELP INFO

BROWSE FOR FILE

QUIT SESSION

GO AHEAD

FORMULA

FORMULA

LAYOUT

OPTIONS

HELP INFO

BROWSE FOR FILE

QUIT SESSION

GO AHEAD

LAYOUT

FORMULA

LAYOUT

OPTIONS

HELP INFO

BROWSE FOR FILE

QUIT SESSION

GO AHEAD

OPTIONS

sign typesetting alternative	a b
reduction of () in additions	yes no
level to switch to / mode	0 1 2
alignment of equations	no left right first last
base identification	numbers characters text no
chain functions	yes no
placement of limits	top right
hide declarations	start stop
typesetting alternative	a b
placement of power in functions	yes no
placement of argument	top right
placement of argument	horizontal vertical
show times symbol	yes no dot
position of logbase	right left
position of logbase	a b c

FORMULA

LAYOUT

OPTIONS

HELP INFO

BROWSE FOR FILE

QUIT SESSION

GO AHEAD

HELP INFO

You can find more information about coding MathML and finetuning the typesetting process in `CONTEXT`:

MathML Typesetting Primer

Examples can be found in:

MathML Example Suite

FORMULA

LAYOUT

OPTIONS

HELP INFO

BROWSE FOR FILE

QUIT SESSION

GO AHEAD